



OUTSIDE AIR LOUVERS

4" OUTSIDE AIR LOUVERS

MODELS: OL-4-CHANNEL-J, OL-4-CHANNEL-K



SUSTAINABLE EXTRUDED ALUMINUM

Dimensions are in inches



OL-4-CHANNEL-J

Outside air louvers with "J" blades and channel frame.



OL-4-CHANNEL-K

Outside air louvers with "K" blades and channel frame.

DESCRIPTION:

1. "J" Blade: this model is 6063 extruded aluminum alloy with several high performance finishes available. Included in those are white, medium bronze, black, and flat black. This model has a channel frame and is 4" deep. The thickness of 0.080" extrusion is used throughout for maximum strength with the mechanically joined frame. An I-beam is furnished as a connecting mullion for multiple piece units.
2. "K" Blade: material is the same as "J" blade with several high performance finishes available. Included in those are white, medium bronze, black, and flat black. A storm-and-rain resistant "K" configuration blade is utilized to help turn back driving rain. This model has a channel frame and is 4" deep. The thickness of 0.080" extrusion is used throughout for maximum strength with the mechanically joined frame. An I-beam is furnished as a connecting mullion for multiple piece units.

OPTIONS:

1. Finish

- White
- ANOD Clear Anodized
- Medium Bronze
- Black
- Custom _____

2. Options

- OBFL (Fire link)
- Expanded Aluminum Bird Screen
- Woven Fiberglass Insect Screen
- Filter Frame
- Opposed Blade Damper

PROJECT:

ENGINEER:

CONTRACTOR:

DATE

SERIES

DRAWING NO.